UNITED STATES OF AMERICA DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

Air Agency Certificate

Number 5MNR431B

This certificate is issued to

MINT TURBINES LLC

2915 NORTH STATE HIGHWAY 99 STROUD, OKLAHOMA 74079

upon finding that its organization complies in all respects with the requirements of the Federal Aviation Regulations relating to the establishment of an Air Agency, and is empowered to operate an approved REPAIR STATION.

with the following ratings:

LIMITED POWERPLANT
LIMITED NON-DESTRUCTIVE TESTING

This certificate, unless canceled, suspended, or revoked, shall continue in effect INDEFINITELY.

Date issued:

MAY 29, 2009 (Reissued 05/28/2015) By direction of the Administrator

JAY C. WILKINS
MANAGER, ASW-WRS-FSDO-1

This Certificate is not Transferable, and any major change in the basic facilities, or in the location thereof, shall be immediately reported to the appropriate regional office of the federal aviation administration

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

Operations Specifications

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	02/17/2016	3
002 Definitions and Abbreviations	02/11/2016	02/17/2016	3
003 Ratings and Limitations	04/03/2017	08/17/2023	4
004 Summary of Special Authorizations and Limitations	09/23/1998	05/29/2009	0
007 Designated Persons	09/08/2021	06/14/2022	13
Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	04/25/2017	2
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	11/25/2013	2

MINT TURBINES LLC
Part A-1
Print Date: 8/17/2023

Certificate No.: 5MNR431B

Operations Specifications

A001. Issuance and Applicability

HQ Control: 01/31/2012

HQ Revision:

05d

a. These operations specifications are issued to MINT TURBINES LLC, a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location: 2915 North State Highway 99 Stroud, Oklahoma 74079

Mailing Address: P.O. Box 460 Stroud, Oklahoma 74079

- b. The holder of these operations specifications is the holder of certificate number 5MNR431B and shall hereafter be referred to as the "certificate holder".
- c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.
- The repair station specified on these operations specifications and located within the United States performs maintenance and/or an alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of the U.S./EC Safety Agreement, Annex 2, Maintenance, between the FAA and the EC.
- The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by John Thomas, Principal Maintenance Inspector (SW15) [1] EFFECTIVE DATE: 11/25/2013, [2] AMENDMENT #: 2 DATE: 2013.11.25 15:18:33 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

DEC 3 2013

Moffitt, Robert S, Quality Manager

Date

Operations Specifications

A002. Definitions and Abbreviations

HO Control: 01/12/2012

HO Revision: 05b

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA The Bilateral Aviation Safety Agreement (BASA) is an executive

agreement concluded between the United States and a foreign country

for the purpose of promoting aviation safety; also known as an

Agreement for the Promotion of Aviation Safety.

In these operations specifications, the term "certificate holder" means Certificate Holder

the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this

certificate.

CFR Code of Federal Regulations

Class rating As used with respect to the certification, ratings, privileges, and

limitation of aircraft within a category having similar operating

characteristics.

EASA European Aviation Safety Agency

EASA Accountable The manager who has corporate authority for ensuring that all

maintenance required by the customer can be financed and carried out

to the standard required by the EASA full-member Authority.

An authorization that permits an alternate means of compliance with a **Exemption**

specific CFR. The exemption must meet the procedural requirements

of 14 CFR Part 11.

FAA Accountable

Manager

A person designated by the certificated repair station who is Manager

responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the

primary contact with the FAA.

An approval provided to a repair station located outside the United Geographic States to perform maintenance support under contract for a U.S. air Authorization

carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a

station where the frequency and scope of that maintenance does not

U.S. Department
of Transportation
Federal Aviation
Administration

Operations Specifications

warrant permanently staffing and equipping the station for its accomplishment.

Limited Rating

A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.

Limited Ratings - Specialized Services

Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.

Line Maintenance

Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.

MAG

The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the Agreement, Annex 2, Maintenance.

Maintenance

The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.

U.S./EC Aviation Safety Agreement, Annex 2, Maintenance Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.

MIP

Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance.

MOE

A maintenance organization exposition (MOE) pertains to EASA member countries that use an MOE in place of a Repair Station Manual (RSM) and a Quality Control Manual (QCM).

Preventive Maintenance As defined in 14 CFR part 1 and part 43 appendix A, subparagraph

(c).

QCM

Quality Control Manual

Repair Station located in the United States

A certificated repair station located in the United States.

Repair Station located outside the United States

A certificated repair station located outside of the United States.

RSM

Repair Station Manual

MINT TURBINES LLC

A002-2 Amdt. No: 2

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by John Thomas, Principal Maintenance Inspector (SW15) [1] EFFECTIVE DATE: 11/25/2013, [2] AMENDMENT #: 2 DATE: 2013.11.25 15:32:06 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Moffitt, Robert S, Quality Manager

Date

Operations Specifications

A003 . Ratings and Limitations

HQ Control: 04/03/2017 01a

Certificate No.: 5MNR431B

HQ Revision:

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

None Authorized

Limited Ratings

Rating	Manufacturer	Make/Model	Limitations
Engines	Pratt & Whitney	From the accepted Capability List, as amended.	Inspect, repair, overhaul, and/or test powerplants and powerplant components listed on the Mint Turbines LLC capabilities list I/A/W the Manufacturer's maintenance and overhaul manuals or other data approved by the Administrator.
Engines	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Operate turbine engine test cell Number 1, correlated by Mint Turbines LLC, test cell procedures manual, Special Process Specification TCO-1 and Pratt and Whitney engine run procedures for Pratt and Whitney PT6T series engines (NTE 970 SHP)
Engines	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Operate turbine engine test cell number 2, correlated by Pratt and Whitney for PT6A series engines up to 1450 SHP-ISA
Engines	Honeywell	From the accepted Capability List, as amended.	Inspect, repair, overhaul, and/or test powerplants and powerplant components listed on the Mint Turbines LLC capabilities list I/A/W the Manufacturer's maintenance and overhaul manuals or other data approved by the Administrator.
Engines	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Operate turbine engine test cell number 3, correlated by Honerwell for T53 series engines up to 1500 SHP.
Nondestructive Inspection, Testing and Processing	From the accepted, Capability List, as amended.	From the accepted Capability List, as amended.	Liquid Penetrant Inspection I/A/W ASTM-E1417-95A, as revised, Manufacturer's Specifications or other data approved by the Administrator
Nondestructive Inspection, Testing	From the accepted, Capability List, as	From the accepted Capability List, as	Magnetic Partical Inspection I/A/W ASTM-E1444, as revised, Manufacturer's

Operations Specifications

Rating and Processing	Manufacturer amended.		<u>Limitations</u> Specifications or other data approved by the Administrator
Engines	GE Acrospace Company INC	-701C 701D T700-	Inspect, repair, overhaul, and/or test powerplants and powerplant components listed on the Mint Turbines LLC capabilities list I/A/W the Manufacturer's maintenance and overhaul manuals or other data approved by the Administrator.

Limited Ratings - Specialized Services

Rating

Specifications

Limitations

Certificate No.: 5MNR431B

None Authorized.

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.

Digitally signed by James L Wirt, Principal Maintenance Inspector (SW15) [1] SUPPORT INFO: Add GE T700 [2] EFFECTIVE DATE: 8/17/2023, [3] AMENDMENT #: 4 DATE: 2023.08.17 07:03:16 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Robert S Moffitt, Quality Manager

17AV6 2023

Date

Operations Specifications

A004. Summary of Special Authorizations and Limitations

HQ Control:

9/23/1998

HQ Revision:

010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	Reference <u>Paragraphs</u>
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100
b. The certificate holder is not authorized and shall not:	
Use Exemptions.	A005
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. The Certificate Holder applies for the Operations in this paragraph.

2. Support information reference:

3. These Operations Specifications are approved by direction of the Administrator.

Stephens, Patrick K.

Principal Maintenance Inspector

SW15

4. Date Approval is effective: 5/29/09

Amendment Number: 0

5., I hereby accept and receive the Operations Specifications in this paragraph.

Martin, Gene T

FAA Accountable Manager, 145

Date: 5/29/09

Operations Specifications

A007. Designated Persons

HQ Control: 09/08/2021

HQ Revision:

03a

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized	Email Address
Chief Inspector / Quality Manager	Moffitt, Robert S	A,D	bmoffitt@mintturbines.com
EASA Accountable Manager, 145	Norton, David	A,D	dNorton@mintturbines.com
FAA Accountable Manager, 145	Norton, David	A,D	dNorton@mintturbines.com
Director of Quality Assurance / Director of Quality	Horwath, Michael	A	mHorwath@swf-aero.com

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (InFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 - Designated to Receive InFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by James L Wirt, Principal Maintenance Inspector (SW15)

[1] SUPPORT INFO: Update management [2] EFFECTIVE DATE: 6/14/2022, [3] AMENDMENT #: 13 DATE: 2022.06.14 07:59:55 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Robert S Moffitt, Quality Manager

Date

17JUN2022

MINT TURBINES LLC

A007-1

Certificate No.: 5MNR431B

Amdt. No: 13

Operations Specifications

A025 . Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media HO Control: 04/03/2017

HQ Revision:

00b

The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

Section 13.0, Page 54, Paragraph 3.0

The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

N/A

The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

Section 1.2, Page 2, Paragraph 3.0

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.

Digitally signed by Lionel I Stevens, Principal Maintenance Inspector (SW15)

[1] SUPPORT INFO: N8900.411 template change [2] EFFECTIVE DATE: 4/25/2017, [3] AMENDMENT #: 2 DATE: 2017.04.25 09:10:44 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

02 MAY 2017

Moffitt, Robert S, Quality Manager

Date

Operations Specifications

A449. Antidrug and Alcohol Misuse Prevention Program

HQ Control: 07/17/2009

Certificate No.: 5MNR431B

HQ Revision:

00a

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

	Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:	
Telephone Number:	A1 (918)-968-9561	
Address:	2915 North State Highway 99	
Address:	N/A	
City:	Stroud	
State:	OK	
Zip code:	74079	

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has 50 or more safety-sensitive employees.

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by John Thomas, Principal Maintenance Inspector (SW15) [1] EFFECTIVE DATE: 11/25/2013, [2] AMENDMENT #: 2 DATE: 2013.11.25 16:59:43 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

DEC 3 2013 Date

Moffitt, Robert S, Quality Manager

Operations Specifications

Table of Contents

Part D

	HQ CONTROL	EFFECTIVE	AMENDMENT
	DATE	DATE	NUMBER
Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	11/26/2013	1

Part D-1 Print Date: 11/26/2013

Operations Specifications

D100. Work to be Performed at a Place Other Than the Repair HQ Control: 11/16/2004 Station Fixed Location(s) HQ Revision: 050

a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Maintenance and NDT	Section 1.6, Paragraph 3.0	Section 1.6, Paragraph 3.0

- b. The certificate holder <u>may not perform continuous</u> operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. <u>Line Stations</u>. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.
- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by John Thomas, Principal Maintenance Inspector (SW15) [1] EFFECTIVE DATE: 11/26/2013, [2] AMENDMENT #: 1

DATE: 2013.11.26 10:17:45 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Moffitt, Robert S, Quality Manager

DEC 32013

Date